Appendix 1 Banned Substance
(Prohibited substances for products and packages)

(Pro	hibited substances for products	and packages)	T		_
No.	Substance/Substance group	Portion/Material	Threshold Level	Application	Reference lows and regulation
1	Cadmium/Cadmium compounds	All, except batteries Batteries	0.01% by weight(100ppm) of homogeneous materials 0.001% by weight	pigments, corrosion- resisting serface treatment, batteries, contact paint,	1,2
		batteries	(10ppm) of battery	stabilizers for PVC	
2	Hexavalent chromium compounds	All	0.1% by weight(1,000ppm) of homogeneous materials	pigments, paints, ink, catalysts, anticorrosive surfece, plating serface	1,2
3	Lead/Lead conpounds	All, except as note	0.1% by weight(1,000ppm) of homogeneous materials	pigments, paints, stiffener in rubbers, stabilizer in plastic, batteries, curing	1,2,3,4
		Caicity cords with thermoset or thermoplastic coating	weight(300ppm) of serface coating	agentsfor rubber, solders, glasses, free cutting alloy, additive in various type of	
		Batteries	0.004% by weight(40ppm) of battery	resins	
4	Marcury/Marcury compouds	All, except butteries	0.1% by weight(1,000ppm) of homogeneous materials	buttries, Fluorescent materials, contact points, thermometers, pigments	1,2,5
		Butteries	0.0001% by weight(1ppm) of battery	pigments	
5	Tributyl tin oxide (TBTO)	All	Intentional use	paints, pigments, antiseptic agents, refrigerants, digestives, forming agents	8
6	Tri-substituted organostannic compounds	AII	Intentional use or more than 1,000ppm of tin is conttained in homogeneous materials	paints, pigments, flame retardants, stabilizer	2,8
7	Dibutyltin compounds (DBT)	All	More than 1,000ppm of tin is conttained in homogeneous materials	PVC stabilizers, curing catalysts for silicon resin and urethane resin	2
8	Dioctyltin compounds (DOT)	1) Textile articles and leather products intended to come into contact with the skin 2) Childcare articles 3) Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)	More than 1,000ppm of tin is conttained in homogeneous materials	PVC stabilizers, curing catalysts for silicon resin and urethane resin	2

No.	Substance/Substance group	Portion/Material	Threshold Level	Application	Reference lows and regulation
9	Polybrominated biphenyls (PBBs)	All	0.1%by weight(1,000ppm) of homogeneous materials	flame retardants	1,2
10	Polybrominated diphenil ethers (PBDEs)	All	Intentional use or more than 1,000ppm of tin is conttained in homogeneous materials	flame retardants	1,2,8
11	Polychlominated diphenyls (PCBs) and specific substitutes *Refer to Appended table list for Banned Substances	All	Intentional use	insulating oils, electrical insulation medium, plasticizers, paint solvent, heat transformer medium	2,8
12	weight(50ppm) of electric homogeneous materials mediur paint s		insulating oils, electrical insulation medium, plasticizers, paint solvent, heat transformer medium	2	
13	lychlorinated naphthalenes All Intentional use greases, metal treatment liquids, flame retardants, plasticizer in PVC		treatment liquids, flame retardants,	8,10	
14	Perchlorates All Inclusion of more than coin-cell batteric 0.006ppm in a part		coin-cell batteries	22	
15	(PFOS) than 1,000ppm of tin is		hydraulic fluid, metal plating, coating for paper	8,9,10,12	
16	Selected Fluorinated green house gases (PFC,SF6,HFC) *Refer to Appended table list for Banned Substances	All	Intentional use	refrigerants, foaming agents, detergent, fumigation	14
17	Asbestos	All	Intentional use	insulators, fillters, heat insulator, frictional agents	2,6,7
18	Azocolourants and azodyes which from certain aromatic amines *Refer to Appended table list for Banned Substances	Fibers and Leathers	In fabric products/leather pigments, dyes, coloring agents than 30ppm		2
19	Ozone deplating substances *Refer to Appended table list for Banned Substances	*Refer to Appended table list for agents, fumigation		15,16	
20	mesurment		equipments, gauge,	19,20	
21	2-benzotriazol-2-yl-4, 6-di-tert- butylphenol	All	Intentional use	adhesive agents, paints, printing ink, plastics, putties, caulking, filling materials(ultraviolet light absorbers)	8

No.	Substance/Substance group	Portion/Material	Threshold Level	Application	Reference lows and regulation
22	DEHP (CAS No,117-81-7) parts of the toy less than 1,000ppm pigment		plasticizers, dyes, pigments, painting ink, adhesive	2,4	
23	Bis (2-ethylhexyl) phthalate (DEHP) CAS No.117-81-7 **Start of prohibition after July 22 2018	ALL (Not the accessible parts of the tov	0.1%by weight(1,000ppm) of homogeneous materials	plasticizers, dyes, pigments, painting ink, adhesive	1,2
24	Dibutyl phthalate ALL 0.1%by plasticizers, dyes,		plasticizers, dyes, pigments, painting ink, adhesive	1,2	
25	Benzyl butyl phthalate (BBP) CAS No.85-68-7	ALL (Not the accessible parts of the toy applications)	0.1%by weight(1,000ppm) of homogeneous materials	plasticizers, dyes, pigments, painting ink, adhesive	1,2
26	Diisobutyl phthalate (DIBP) CAS No.84-69-5 **Start of prohibition after July 22 2018	ALL (Not the accessible parts of the toy applications	0.1%by weight(1,000ppm) of homogeneous materials	plasticizers, dyes, pigments, painting ink, adhesive	1,2
27	Dimethyl fumarate	All	0.1%by weight(1,000ppm) of homogeneous materials	moisture prevention agents, mildew-proofing agents	2
28	4 heavy metals (Cd,Pb,Cr ₆₊ ,Hg)	Packing matrials	total sum of four heavy metals less than 100ppm	pigments, paints, stbilizer for PVC	17,18
29	Shortchaine chlorinated paraffins (C10-C13)	All	Intentional use or more than 1,000ppm of tin is conttained in homogeneous materials	greases, metal treatment liquid, flame retardants, plasticizer in PVC	10
30	Polycyclic aromatic hydrocarbons (PAH s) *Refer to Appended table list for Banned Substances	Direct contact with human skin or oral cavity for long period of time or repeatedly	Less than 1ppm	pigmens in lubber or plasticcomponents (as inpurity)	2
31	Hexabromocycloddecane (HBCDD) and all major diastereoisomers *Refer to Appended table list for Banned Substances	All	0.1%by weight(1,000ppm) of homogeneous materials	flame retardant	8,9
32	Perfluorooctanic acid (PFOA) and indivisual salts and esters of PFOA *Refer to Appended table list for Banned Substances	All	Intentional use	hydraulic fluid, metal plating, coating for paper	11,13,8
33	Aersenic compounds	wood preservative	When used in timber as antiseptic agent	wood preservative	2

No.	Substance/Substance group	Portion/Material	Threshold Level	Application	Reference lows and regulation
34	Cobalt dichloride	Drier	0.1%by weight(1,000ppm) of homogeneous materials	moisture indicator in silica gel	2
35	Natural rubber	Parts that consumers directly touch the skin for toy applications	Intentional use	rubber bushing, rubber aheets, antivibration rubber	_
36	Red phoshorus CAS No.7723-14-0	Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)	Intentional use	flame retardant	_
37	2-(2H-benzotriazol-2-yl)-4,6 ditertpentylphenol (UV-328) CAS No.25973-55-1	All	Intentional use	UV absorbers : polyurethane, PVC, epoxy resin, acrylic resin, polycarbonate, elastomer, rubber, coating, etc.	2,9
38	Phenol, isopropylated phosphate (PIP(3:1)) (Tris phosphate) CAS No.68937-41-7	All	Intentional use	Plasticizers and flame retardants for plastics, adehesives, paint inks	6
39	Decabromodiphenyl ether (decaBDE) CAS No.1163-19-5	All	Intentional use	Plastic flame retardant	6,8,9
40	Hexachlorobutadiene (HCBD) CAS No.87-68-3	All	Intentional use	Organic solvent, detergent	6,8,9
41	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP) CAS No.732-26-3	All	Intentional use	Antioxidants, fuels, fuel additives, oils, lubricants	6,8,9
42	Pentachlorothiophenol (PCTP) CAS No.133-49-3	All	Intentional use weight(10,000ppm) of homogeneous materials	Rubber softener	6
43	Perfluoroalkyl sulfone compounds (PFAS)	Coating material	Intentional use	Surface coating	6
44	Perfluorohexane sulfonic acid (PFHxS) CAS No.355-46-4 etc.	All	Intentional use	Metal plating, abrasives and detergent, coating, flame retardant	2,9
45	Perfluorocarboxylic acid (C9-C21 PFCA) and it's salts and related substances CAS No.375-95-1 etc. *Refer to Appended table list for Banned Substances	All	Intentional use (The total of PFCAs and their salts is less than 25ppb. The total of PFCAs related substances is less than 260ppb.)	Fluororesin, fluororubber, fluorine coating	2,9
46	Dechlorane Plus CAS No.13560-89-9、135821-74- 8、135821-03-3	All	Intentional use	Flame retardants	2,9

No.	Substance/Substance group	Portion/Material	Threshold Level	Application	Reference lows and regulation
	Medium-chain chlorinated paraffin (C14-C17 MCCP) CAS No.85535-85-9	All		Flame-retardant resin raw materials, etc.	2,9

Green Procurement Standard Ver5.0

Appendix 1 Attachment Prohibited Substances Details

		Prohibited Substances Details	
	ubstance Group Nam		CAS No.
11	Polychlorinated	Polychlorinated biphenyls (all isomers and hom	
	biphenyls (PCB) and	Monomethyl-tetrachloro-diphenylmethane (Ug	
	specific substitutes	Monomethyl-dichloro-diphenylmethane	81161-70-8
		(Uailec 121, Uailec 21)	
		Monomethyl-dibromo-diphenylmethane (DBBT	99688-47-8
16	Fluorine-based	Tetrafluoromethane (carbon tetrafluoride, PFC	75-73-0
	greenhouse gases	Hexafluoroethane (PFC-116)	76-16-4
	(PFC, SF 6, HFC)	Octafluoropropane (PFC-218)	76-19-7
		Decafluorobutane (PFC - 31 - 10)	355-25-9
		Dodecafluoropentane (PFC-41-12)	678-26-2
		Tetradecafluorohexane (PFC - 51 - 14)	355-42-0
		Octafluorocyclobutane (PFC-c 318)	115-25-3
		Sulfur hexafluoride (SF 6)	2551-62-4
		Trifluoromethane (HFC-23)	75-46-7
		Difluoromethane (HFC-32)	75-10-5
		Methyl fluoride (HFC-41)	593-53-3
			138495-42-
		2H, 3H-decafluoropentane (HFC-43-10mee)	8
		Pentafluoroethane (HFC-125)	354-33-6
		1,1,2,2-tetrafluoroethane (HFC-134)	359-35-3
		1,1,1,2-tetrafluoroethane (HFC-134a)	811-97-2
		1,2-Difluoroethane (HFC-152)	624-72-6
		1,1-Difluoroethane (HFC-152a)	75-37-6
		1,1,2-trifluoroethane (HFC-143)	430-66-0
		1,1,1-trifluoroethane (HFC-143a)	420-46-2
		Fluoroethane (HFC-161)	353-36-6
		2H-heptafluoropropane (HFC-227ea)	
		1,1,1,2,2,3-hexafluoropropane (HFC-236cb)	431-89-0
		1,1,1,2,3,3-hexafluoropropane (HFC-236ea)	677-56-5
			431-63-0
		1,1,1,3,3,3-hexafluoropropane (HFC-236fa) 1,1,2,2,3-pentafluoropropane (HFC-245ca)	690-39-1
			679-86-7
		1,1,1,3,3-pentafluoropropane (HFC-245fa)	460-73-1
10	Α Ι Ι	1,1,1,3,3-pentafluorobutane (HFC-365 mfc)	406-58-6
18	Azo dyes and	4-aminoazobenzene	1960/9/3
	pigments producing	O-Anisidine	90-04-0
	some aromatic	2-naphthylamine	91-59-8
	amines	3,3'-dichlorobenzidine	91-94-1
		4-Aminobiphenyl	92-67-1
		Benzidine O halvidia	92-87-5
		O-toluidine	95-53-4
		4-chloro-2-methylaniline	95-69-2
		2,4-toluenediamine	95-80-7
		O-aminoazotoluene ‡	97-56-3
		5-Nitro-o-toluidine	99-55-8
		3,3'-Dichloro-4,4'-diaminodiphenylmethane	101-14-4
		4,4'-methylenedianiline	101-77-9
		4,4'-diaminodiphenyl ether	101-80-4
		P-chloroaniline	106-47-8
		3,3'-Dimethoxybenzidine	119-90-4
		3,3'-dimethylbenzidine	119-93-7
		2-methoxy-5-methylaniline	120-71-8
		2,4,5-trimethylaniline	137-17-7

No	ubstance Group Nam	Relevant Substances	CAS No.
140	abstance Group Main	4,4'-diaminodiphenyl sulfide	139-65-1
		2,4-Diaminoanisole	615-05-4
		4,4'-diamino-3,3'-dimethyldiphenylmethane	838-88-0
19	Ozone Layer Destruc		_
10	Describe	CF ₂ Cl ₂ (CFC-12)	_
	Montreal Protocol	C ₂ F ₃ Cl ₃ (CFC-113)	_
		C ₂ F ₄ Cl ₂ (CFC-114)	_
	in Attachments A, B,	C ₂ F ₅ Cl (CFC-115)	_
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CF ₂ BrCl (halon-1211)	_
		CF_3Br (halon-1301)	_
		$C_2F_4Br_2$ (halon-2402)	_
		$C_{3}C_{1}$ (CFC-13)	<u> </u>
		C ₂ FCl ₅ (CFC-111)	_
		$C_2 \Gamma C_{15} (C \Gamma C^{-111})$ $C_2 F_2 C I_4 (C \Gamma C^{-112})$	_
		:	_
		C ₃ FCl ₇ (CFC-211)	_
		C ₃ F ₂ Cl ₆ (CFC-212)	_
		C ₃ F ₃ Cl ₅ (CFC-213)	_
		C ₃ F ₄ Cl ₄ (CFC-214)	_
		C ₃ F ₅ Cl ₃ (CFC-215)	_
		C ₃ F ₆ Cl ₂ (CFC-216)	_
		C ₃ F ₇ Cl (CFC-217)	_
		CCI4 Carbon tetrachloride	_
		C2 H3 Cl3 1,1,1-trichloroethane (methyl chlor	
		Relevant Substances	Number of isom
		CHFCl ₂ (HCFC-21)	1
		CHF ₂ CI (HCFC-22)	1
		CH ₂ FCI (HCFC-31)	1
		C ₂ HFCl ₄ (HCFC-121)	2
		$C_2HF_2CI_3$ (HCFC-122)	3
		C ₂ HF ₃ Cl ₂ (HCFC-123)	3
		CHCl ₂ CF ₃ (HCFC-123)	_
		C ₂ HF ₄ Cl (HCFC-124)	2
		CHFCICF ₃ (HCFC-124)	_
		$C_2H_2FCl_3$ (HCFC-131)	3
		$C_2H_2F_2Cl_2$ (HCFC-132)	4
		$C_2H_2F_3CI$ (HCFC-133)	
		$C_2H_3FCl_2$ (HCFC-141)	3
		CH ₃ CFCl ₂ (HCFC-141b)	_
		C ₂ H ₃ F ₂ Cl (HCFC-142)	3
		CH ₃ CF ₂ Cl (HCFC-142b)	_
		C ₂ H ₄ FCl (HCFC-151)	2
		C ₃ HFCl ₆ (HCFC-221)	5
		C ₃ HF ₂ Cl ₅ (HCFC-222)	9
		C ₃ HF ₃ Cl ₄ (HCFC-223)	12
		C ₃ HF ₄ Cl ₃ (HCFC-224)	12
		$C_3HF_5Cl_2$ (HCFC-225)	9
		$CF_3CF_2CHCl_2$ (HCFC-225ca)	_
		CF ₂ CICF ₂ CHCIF (HCFC-225cb)	_
		C ₃ HF ₆ Cl (HCFC-226)	5
		$C_3H_2FCl_5$ (HCFC-231)	9
	I	C31 121 C15 (11C1 C-231)	<u> </u>

No lubstance	Group Nam	Relevant Substances	CAS No.
110 abstarret	C ₃ H ₂ F ₂ Cl ₄ (F		16
	C ₃ H ₂ F ₃ Cl ₃ (H		18
	C ₃ H ₂ F ₄ Cl ₂ (H		16
	C ₃ H ₂ F ₅ Cl (H		9
	C ₃ H ₂ FCl ₄ (H		12
	C ₃ H ₃ F ₂ Cl ₃ (H		18
	C ₃ H ₃ F ₂ Cl ₂ (H		18
	C ₃ H ₃ F ₄ Cl (H		12
	C ₃ H ₄ FCl ₃ (H		12
	C ₃ H ₄ F ₂ Cl ₂ (H		16
	C ₃ H ₄ F ₃ Cl (H		12
	C ₃ H ₅ FCl ₂ (H		9
			9
	$C_3H_5F_2CI$ (H) C_3H_6FCI (H)		5
		.rC-2/1)	1
	CHFBr ₂	C 22B1)	
	CHF ₂ Br(HBF	C-22D1)	1
	C ₂ HF ₂ Br ₃		3
	C ₂ HF ₄ Br		2
	$C_2H_2F_2Br_2$		4
	C ₂ H ₃ FBr ₂		3
	C ₂ H ₄ FBr		2
	C ₃ HF ₂ Br ₅		9
	C ₃ HF ₄ Br ₃		12
	C ₃ HF ₆ Br		5
	$C_3H_2F_2Br_4$		16
	$C_3H_2F_4Br_2$		16
	C ₃ H ₃ FBr ₄		12
	$C_3H_3F_3Br_2$		18
	C ₃ H ₄ FBr ₃		12
	$C_3H_4F_3Br$		12
	$C_3H_5F_2Br$		9
	CH₂FBr		1
	C ₂ HFBr ₄		2
	$C_2HF_3Br_2$		3
	$C_2H_2FBr_3$		3
	$C_2H_2F_3Br$		3
	$C_2H_3F_2Br$		
	C ₃ HFBr ₆		5
	$C_3HF_3Br_4$		12
	$C_3HF_5Br_2$		9
	$C_3H_2FBr_5$		9
	$C_3H_2F_3Br_3$		18
	$C_3H_2F_5Br$		8
	$C_3H_3F_2Br_3$		18
	$C_3H_3F_4Br$		12
	$C_3H_4F_2Br_2$		16
	$C_3H_5FBr_2$		9
	C ₃ H ₆ FBr		5
		omochloromethane	
	CH 3 Br broi		
L	3 3 2. 3101		1

No	ubstance Group Nam	Relevant Substances	CAS No.
30	Polycyclic aromatic	enzo (a) pyrene (BaP) 50 - 32 - 8	50-32-8
	hydrocarbons	Benzo (e) pyrene (BeP) 192 - 97 - 2	192-97-2
	(PAHs)	Benzo (a) anthracene (BaA) 56-55-3	56-55-3
	(1 A113)	Chrysen (CHR) 218-01-9	218-01-9
		Benzo (b) fluoranthene (BbFA) 205-99-2	205-99-2
		Benzo (j) fluoranthene (BjFA) 205-82-3	205-82-3
		Benzo (k) fluoranthene (BkFA) 207-08-9	207-08-9
		Dibenzo (a, h) anthracene (DBAhA) 53-70-3	53-70-3
31	Hexabromocyclodod	Hexabromocyclododecane (HBCDD)	25637-99-4
	ecane (HBCDD)		4736-49-6
	,		65701-47-5
			138257-17-7
			138257-18-8
			138257-19-9
			169102-57-2
			678970-15-5
			678970-16-6
		1 2 5 6 0 10 1	678970-17-7
		1, 2, 5, 6, 9, 10-hexabromocyclododecane	3194-55-6
		A-Hexabromocyclododecane	134237-50-6
		B-hexabromocyclododecane	134237-51-7
	Day (la constant de la constant de l	C-Hexabromocyclododecane	134237-52-8
32	Perfluorooctanoic	Perfluorooctanoic acid (PFOA)	335-67-1
	acid (PFOA)	Ammonium perfluorooctanoate (APFO)	3825-26-1
		Sodium salt of perfluorooctanoic acid	335-95-5
		Potassium salt of perfluorooctanoic acid Silver salt of perfluorooctanoic acid 335-93-3	2395-00-8
		Perfluorooctanoic acid fluoride	335-93-3
		Methyl perfluorooctanoate	335-66-0 376-27-2
		Ethyl perfluorooctanoate	3108-24-5
45	Perfluorocarboxylic a		J100 2+ J
¬5	Long-chain PFCA	Nonanoic acid,	375-95-1
	Long chair i i cit	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-	
		heptadecafluoro- (PFNA)	
		Decanoic acid,	335-76-2
		2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-	
		nonadecafluoro- (PFDA)	
		, ,	
		Undecanoic acid,	2058-94-8
		2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
		1-heneicosafluoro- (PFUnDA)	
		Dodecanoic acid,	307-55-1
		2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
		2,12,12-tricosafluoro- (PFDoDA)	
		Tridocanois asid	
		Tridecanoic acid,	72629-94-8
		2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
		2,12,13,13,13-pentacosafluoro- (PFTrDA)	
			276.06.7
		2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	376-06-7
		2,12,13,13,14,14,14-heptacosafluoro-	
		(PFTDA)	
l	1		

No ubstance Group Na	m Relevant Substances	CAS No.
	Pentadecanoic acid,	141074-63-7
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
	2,12,13,13,14,14,15,15,15-nonacosafluoro-	
	(PFPeDA)	
	Hexadecanoic acid,	67905-19-5
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
	2,12,13,13,14,14,15,15,16,16,16-	
	hentriacontafluoro- (PFHxDA)	
	Heptadecanoic acid,	57475-95-3
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
	2,12,13,13,14,14,15,15,16,16,17,17,17-	
	tritriacontafluoro- (PFHpDA)	
	Octadecanoic acid,	16517-11-6
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	10317-11-0
	2,12,13,13,14,14,15,15,16,16,17,17,18,18,1	
	8-pentatriacontafluoro- (PFODA,PFOcDA)	
	Nonadecanoic acid,	133921-38-7
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	
	2,12,13,13,14,14,15,15,16,16,17,17,18,18,1	
	9,19,19-heptatriacontafluoro- (PFNDA)	
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,1	68310-12-3
	2,12,13,13,14,14,15,15,16,16,17,17,18,18,1	
	9,19,20,20,20-nonatriacontafluoro- (C20	
	PFCA)	
	Perfluoroheneicosanoic acid (C21 PFCA)	-
Long-chain PFCA	Nonanoic acid,	4149-60-4
salts	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-	
	heptadecafluoro-, ammonium salt (1:1)	
	Nonanoic acid,	21049-39-8
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-	
	heptadecafluoro-, sodium salt (1:1)	
	Decanoic acid,	3830-45-3
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-	
	nonadecafluoro-, sodium salt (1:1)	
	Decanoic acid,	3108-42-7
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-	,
	nonadecafluoro-, ammonium salt (1:1)	

Appendix2 Prohibited Substances in the Manufacturing Process

2-1. Prohibited Substances

2-1-1. Specified substances and designated substances stipulated in the Ozone Layer Protection Law

No.	CAS No.	物質名	英文名
1	_	CFC	CFC
2	_	ハロン	Halon
3	56-23-5	四塩化炭素	Carbon tetrachloride
4	71-55-6	1,1,1-トリクロロエタン	1,1,1-Trichloroethane
5	_	HCFC	HCFC
6	_	HBFC	HBFC
7	74-97-5	ブロモクロロメタン	Bromochloromethane
8	74-83-9	臭化メチル	Methyl bromide

2-1-2. Substances Prohibited for Use to Prevent Soil Contamination

No.	CAS No.	物質名	英文名
1	56-23-5	四塩化炭素	Carbon tetrachloride
2	107-06-2	1,2-ジクロロエタン	1,2-Dichloroethane
3	75-35-4	1,1-ジクロロエチレン	1,1-Dichloroethylene
4	156-59-2	シス-1,2-ジクロロエチレン	Cis-1,2-Dichloroethylene
5	542-75-6	1,3-ジクロロプロペン	1,3-dichloropropene
6	75-09-2	ジクロロメタン	Dichloromethane
7	127-18-4	テトラクロロエチレン	Tetrachloroethylene
8	71-55-6	1,1,1-トリクロロエタン	1,1,1-Trichloroethane
9	79-00-5	1,1,2-トリクロロエタン	1,1,2-Trichloroethane
10	79-01-6	トリクロロエチレン	Trichloroethylene
11	71-43-2	ベンゼン	Benzene

2-1-3. Special Dust Air Pollution Control Law

No.	CAS No.	物質名	英文名
1		石綿(アスベスト)	Asbestos

2-1-4. Specific Chemical Substance Law Class 1 Regarding Chemical Substances Examination

and Manufacturing etc. Regulations

		c. Regulations	*+ <i>h</i>	
No.	CAS No.	物質名	英文名	
2	-	ポリ塩化ビフェニル(PCB) ポリ塩化ナフタレン(塩素数2 以上のもの)	Polychlorinated biphenyls (PCB) Polychlorinated naphthalene (2or more chlorine atoms)	
	110 7/ 1	 ヘキサクロロベンゼン	Hexachlorobenzene	
3	118-74-1		Aldrin	
4	309-00-2	アルドリン		
5	60-57-1	ディルドリン	Dieldrin	
6	72-20-8	エンドリン	Endrin	
7	50-29-3	DDT	DDT	
8	57-74-9	クロルデン	Chlordane	
	76-44-8	ペプタクロル	Heptachlor	
9	56-35-9	ビス (トリブチルスズ) = オキシド	Bis (tributyltin) oxide	
10	722.26.2	N,N'-ジトリル-パラ-フェニレンジアミン	N,N'-ditolyl-p-phenylenediamine	
11	732-26-3	2,4,6-トリ-tert-ブチルフェノール(2,4,6-TTBP)	2,4,6-tris-tert-butylpnenol	
12	8001-35-2	トキサフェン	Toxaphene Mirex	
13	2385-85-5	マイレックス		
14	115-32-2	2,2,2-トリクロロ-1-(2-クロロフェニル)-1-(4-クロロ	2,2,2-trichloro-1-(2-chlorophenyl)-1-(4-	
		フェニル)エタノール	chlorophenyl) ethanol	
		または	2,2,2-trichloro-1,1-bis(4-chlorophenyl)	
		2,2,2-トリクロロ-1,1-ビス(4-クロロフェニル)エタノール	ethanol	
		(別名・ケルセン又はジコホル)		
15	87-68-3	ヘキサクロロブタジエン(別名:ヘキサクロロブタ-1,3-ジェン)	Hexachlorobutadiene	
16	3846-71-7	2-(2H-1,2,3-ベンゾトリアゾール-2-イル)-4,6-ジ-	2-(2H-1,2,3-benzotriazol-2-yl)-4,6-di-tert-	
		tert-ブチルフェノール(UV-320)	butvlphenlo (UV-320)	
17	-	ペルフルオロ(オクタン-1-スルホン酸)(別名	Perfluorooctane sulfonic acid (PFOS) its	
		PFOS) 又はその塩)	salts	
18	307-35-7	ペルフルオロ(オクタン-1-スルホニル) = フルオリド(別名PFOSF)	Perfluorooctane sulfonyl fluoride(PFOSF)	
19		ペンタクロロベンゼン	Pentachlorobenzene	
20	319-84-6	a-ヘキサクロロシクロヘキサン	Alpha hexachlorocyclohexane	
21	319-85-7	β-ヘキサクロロシクロヘキサン	Beta hexachlorocyclohexane	
22	58-89-9	リンデン (別名:γ-ヘキサクロロシクロヘキサン)	Lindane	
23	143-50-0	クロルデコン	Chlordecone	
24	36355-01-8	ヘキサブロモビフェニル	Hexabromobiphenyl	
25	-	テトラブロモジフェニルエーテル 	Tetrabromodiphenyl ether	
26	-	ペンタブロモジフェニルエーテル	Pentabromodiphenyl ether	
27	-	ヘキサブロモジフェニルエーテル	Hexabromodiphenyl ether	
28	-	ヘプタブロモジフェニルエーテル	Heptabromodiphenyl ether	
29	115-29-7 959-98-8	エンドスルファン 	Technical endosulfan and its related lisomers	
	33213-65-9			
30		ヘキサブロモシクロドデカン	Hexabromocyclododecane	
	3194-55-6	1,155 = 45 7 = 1 7 75 7		
	4736-49-6			
	65701-47-5			
	134237-50-6			
	134237-51-7			
	134237-52-8			
	138257-17-7			
	138257-18-8			
	138257-19-9			
	169102-57-2			
	678970-15-5			
	678970-16-6			

No.	CAS No.	物質名	英文名
31	-	ペンタクロロフェノールとその塩及びエステル類	Pentachlorophenol and its salts and esters
32	18993-26-5	短鎖型塩化パラフィン(炭素数10~13)	Shortchaine chlorinated paraffins (C 10-C
	36312-81-9		13)
	63981-28-2		
	219697-10-6		
	221174-07-8		
	276673-33-7		
	601523-20-0		
33	1163-19-5	デカブロモジフェニルエーテル(decaBDE)	Decabromodiphenyl ether
34	-	パーフルオロオクタン酸(PFOA)又はその塩	Perfluorooctanic acid (PFOA) and indivisual salts and esters of PFOA

2-1-5. Manufacturing Prohibited Substances of Occupational Safety and Health Act Ordinance

No.	CAS No. 物質名 英文名			
1	_	黄りんマッチ(黄りん)	Tetra phosphorus	
2	_	ベンジジン及びその塩	Benzidine and its salts	
3	_	4-アミノビフェニル及びその塩	4-Aminobiphenyl and its salts	
4	_	石綿 (アスベスト)	Asbestos	
5	_	4-ニトロビフェニル及びその塩	4-Nitrobiphenyl and its salts	
6	_	ビス(クロロメチル)エーテル	Bis(chloromethyl) ether	
7	_	β-ナフチルアミン及びその塩	β-Naphthylamine	
8	_	ベンゼン含有ゴムのり (ベンゼン容量:>5%)	Rubber cement containing benzene	
			(benzene:>5%)	

2-2. Substances to be reduced

	No. CAS No.		物質名	英文名	
_	_	_	_	_	

Appendix3 Contained Controlled Substances

(Substances requiring knowledge of presence / absence, content, use location, use etc.)

No.	Substance Group	Relevant Component	Threshold	Application - Usage Example	Reference Laws/
1	Beryllium oxide	All	0.1weight% of molded product (1,000ppm)	Ceramic material	21
2	Brominated flame retardant (Other than PBB and PBDE or HBCDD)	Plastic materials. However, excluding laminated printed circuit boards	0.1 weight% of total content of bromine in plastic material (1000ppm)	Flame retardants	23,24
		Multilayer printed circuit boards	0.09% weight of total bromine content of laminate (900 ppm)		
3	Chlorine-based flame retard	Plastic materials. However, excluding laminated printed circuit boards	0.1% weight of total chlorine content of plastic materials (1000 ppm)	Flame retardants	23,24
		Multilayer printed circuit boards	0.09% weight of total chlorine content of laminate (900 ppm)		
4	Polyvinyl chloride (PVC) and PVC copolymer	Plastic materials. However, excluding laminated printed circuit boards	When total chlorine content of plastic material is 1000 ppm	Resin materials, insulation, chemical resistance, OHP film, sheath	23
5	Formaldehyde	Textiles	0.0075 weight% of textile product (75 ppm)	Agents for prevention of insects,	25,26
		Composite wood products or components	Added intentionally	corrosion of wood etc., adhesives	
6	Candidate substances subject to REACH regulation	Refer to REACH approved relevant candidate substances	0.1weight% of molded product (1,000ppm)	_	2
7	Nickel	In case of components in contact with skin for prolong periods	Added intentionally	Stainless steel, plating	2
8	China VOC regulated substances	Paints, adhesives, inks, cleaning agents, or parts that use them	Added intentionally	Paints, adhesives, inks, cleaning agents	-

Appendix4 Reference Laws and Regulations Notation Number

(Reference laws and regulation column)	Name of laws (some abbreviations), Country / Region
1	RoHS Directive (revised) 2011/65 / EU (Europe)
2	REACH Regulation (EC) No 1907/2006 (Europe)
3	Proposition 65 (USA-California)
2008 Consumer Product Safety Improvement Act (PUBLIC LAW 110-31 (USA)	
5	Mercury Hazard Reduction Law (US)
6	Toxic Substances Control Act (TSCA) (USA)
7	Handling Risk Reduction of Specific Hazardous Substances, Preparations and Articles Cabinet Order (ChemRRV) (Switzerland)
8	Law relating to review of chemical substances and manufacture etc. (Japan)
9	Stockholm Convention on Residual Organic Pollutants (International Convention)
10	Regulation on persistent organic pollutants (POPs) (EC) No 850/2004 (Europe)
11	Norwegian Regulations on Restrictions on Manufacture, Import, Export, Sales and Use of Chemicals and Other Products Harmful to Health and the Environment (Norway)
12	Canada Environmental Protection Act SOR / 2008-178 (Canada)
13	US PFOA Voluntary Abolishment Program (USA)
14	(EU) No 517/2014 (Europe)
15	Montreal Protocol (International Convention)
16	Law regarding the protection of the ozone layer by regulations of specified substances (Japan)
17	EU EU Packaging Directive 94/62 / EEC (Europe)
18	Toxics in Packaging Prevention Act (USA-California)
19	Prevention of Radiation Damage by Radioac tive Isotope etc., Act (Japan)
20	Regulation of nuclear source material, nuclear fuel material and nuclear reactor Law (Japan) EU WEEE Directive 2002/96 / EC Article 11:
21	DIGITALEUROPE/CECED/AeA/EERA Guidance regarding information provision implemntation to processing facilities (Europe)
22	Perchlorate Contamination Prevention Law 2003 (USA - California)
23	JS 709 (Industry standard) (USA)
24	IPC-04101, IEC 61249-2-21 (I
25	CARB Regulation (USA - California)
26	BGB I 1990/194: Regulation for formaldehyde § 2, 12/2/1990 (Austria)

To DIAMOND ELECTRIC HOLDINGS CO.,LTD. Group

(5) If there is a factory that uses prohibited substances in section 3), please describe the factory

name (manufacture name).

Date (year/month/day)

Date	Date (year/month/day)								
Supplier									
Approval	Approval check writer								
l	l	I							

Questionnaires about Chemical Substances Management System (1/2)

						
Company	name					
Represer	tative name (Officer name)					
	Department name					
Creation	Job title					
departm ent/char	name					
ge	E-mail (harf size)			T E L (harf size)		
	Address					
Product						
1.0					If any changes oc	cur, please resubmit.
1. Co	omfirmation ma (1) Can you respond to th Group?	e investigation of chemical su	Intormation in numbers and in n	naterials required by t	the Diamond Electri	c Holdings Co.,Ltd.
		Can you report the chen format specified by the Diam			☐ Yes	□ No
		format specified by the Diam 2) Can you report the mate Data) by the Diamond Electr			☐ Yes	□ No
	(2) For products delivered substance content?	to the Diamond Electric Hold	lings Co.,Ltd. Group, of	the following which fo	rmats can you repo	ort the chemical
	Report format (Multiple selections possible)	☐ chemSHERPA-AI	☐ IMDS/JAMA (GAD	SL) 🗌 Other : Diar	mond Electric Holding	s Co., Ltd. Designated
		LoHS directive material/use?	%Full in if item 1) and 2	2) above cannot be	□ Yes	□ No
		s and industry situation, we r ted separately from the Diam		•		on of individual
NOI. Ma	Within three years, we	nformation from customer co have been audited by the cus	mpanies stomer companies regar	-	•	cal substances
	contained in products, if it co	onforms (certifies), listed in the Campany	· ·	ttach a copy of the ce Date of Certification		cation No
		p /				
	(2) Items regarding the ex	 xternal certification				
	*External certification	covers the environmental m	1	I		
	[Acquired external	Certification body	Date of Certification	Certification No	Validity Perio	d of Certification
	certification]					
	[Acquired external certification]					
	[Acquisitioin plan/Limited to within one year from the date		Scheduled examination date			
No2. And Co.,Ltd. (alytical survey system for con	tained substances and confirm	nation of usage status o	of prohibited substance	es by Diamond Elec	tric Holdings
CO.,Ltu.	(1) Do you use XRF(X-ray	fluorescence analysis	Analyze with your own		xternal organization for	There is no system to
	equipment) to analyzer the		equipment	□ analysis		analyze
	(2) Do you use ICP(Induction Analyzer) to analyzer the co	ntent as needed?	Analyze with your own a	analysis Request an e	xternal organization for	There is no system to analyze
	(3) Is there any factory the substances specified by Dian Co.,Ltd. Group?		☐ Not used in all factories	S ☐ Used in some	e factories	Unconfirmed
	(4) If you use a prohibited sudescribe the name of the target purpose, and preventive measurements.	t substance, intended use,				

Questionnaires about Chemical Substances Management System (2/2)

[Self-evaluation rank]
[DEHD evaluation rank]
[Evaluation criteria]

[Diamond Electric Holdings (DEHD) general comment]

Green Procurement Standard Ver5.0

Diamond Electric Holdings (DEHD) Self-audit results Number of audit results questions Conformance Nonconformance Not applicable Conformance Nonconformance Not applicable 0% 0% Rate 0% 0%



Α	Conformity 90% or more				
В	Conformity 80% or more				
С	Conformity 70% or more				
D	Conformity less than 70%				

1			
ı			
1			
J			
ı			
ı			
1			
4			
ı			
1			
ı			
7			
ı			

Action item	No question	Self-audit results	DZ audit results	Description (Evidence name, document name, etc.)	Evidence and confirmation notes	Diamond Electric Holdings (DEHD) audit results (remarks)
Determining the scope of CiP management applied	Do you have a clear scope where the CIP management system is applied? [Judgement standard] Conformance: There are regulation. Nonconformance: There are no regulation. Or there are no the scope of application. Or the scope of application is unclear. **Worganization: The organization chart are specified, but the organization and its role are unclear. **Product/Process: For example, there is no description about protective materials (packaging materials, etc.) and jigs (tray etc.) other than products. **CIP: Chemicals in products: CIP management: Management of chemical substances contained in			◆ Regulation name that describes the scope of application of the organization, product, and process	Documents that define the scope of control of chemical substances in products © Confirmation point of view ①It is within the scope of control of chemical substances contained in products. Is the organization, products, components, factories, processes, operations, etc. clear? ※It may be clarified outside the scope of application. ②Is the scope of application within the range that can satisfy customer requirements? ※The target includes factories, processes, suppliers and contractors related to production.	
Policy	Clarification of CiP management policy (a)Has the top management declared its policy for the appropriate implementation of CiP management? (b)Is the policy known to the relevant departments? [Judgement standard] Conformance : There is a "Management Standard" approved by the company, this can be viewed (including the web) by internal personnel. In addition, it is open to the public on the corporate website, "Green Procurement Policy", etc. Nonconformance : There is no "Management Standard", etc.			Policy document name, etc. that clarifies the CiP management policy (a)Document expressing the policy (b)dissemination method	The policy includes compliance with laws and regulations and compliance with industry standards, it is desirable that it be reviewed and maintained as necessary.	
Organizational roles, responsibilities and authorities	(1)Do you clarify the departments related to CiP management? [Judgement standard] Conformance: There is a regulation that clarifies the departments related to CiP management. Nonconformance: There is no above regulation.			◆ Regulation name that clarifies the department related to CiP management	Top management shall define responsibilities and authorities for related roles and communicate them within the organization in order to implement effective CIP management.	
	(2)Do you clarify the roles and responsibilities of the departments involved in CIP management? [Judgement standard] 4 Conformance: There are regulations that clarify the roles and responsibilities of departments related to CIP management. Nonconformance: There is no above regulation.			◆ Regulation name that clarifies the roles and responsibilities of departments related to CiP management		
	(3)Do you know the contents of (1) and (2) above? [Judgement standard] 5 Conformance: There are regulation regarding internal dissemination, and internal dissemination (including the web). Nonconformance: Not known within the company.			◆Regulation name regarding internal dissmination and dissemination method		
Objective and planning to achieve them	(1)Have you set targets and created plans for their achievement? [Judgement standard] Conformance: There are regulations for CiP management objective (setting of specific management items) / plans (standard value of management items, implementation frequency, etc.). Nonconformance: There is no above regulation.			Regulation name that describes the plan that set the objective Record name describing the implementation status	The organizations should set objectives for CiP management. The organization shall formulate, implement and maintain a plan to achieve its objectives. The organizations should review these objectives and implementation plans as necessary.	
	(2)Are you reviewing your objectives / plans? [Judgement standard] 7 Conformance : There are regulations to confirm change in the requirements of related laws and regulations, and to reflect and review the contents in the objective / plans. Nonconformance : There is no above regulation, or even if there is rule, it can not be operated.			Regulation name for reviewing objectives and plans Latest revision time of objectives and implementation plans		
	(3)Do you know your objectives / plans? [Judgement standard] Conformance: There are regulations to inform related departments of objectives / plans, and the contents are made known internally (including the web). ———————————————————————————————————			Regulation name to inform the objective and implementation plan dissemination method		
Competence	(a)Have you defined the persons to receive training and the contents of the education / training for each item of operation and management? (b)Do you conduct and record education and training? [Judgement standard] Conformance: There are management standards, etl. that stipulate the implementation of education and training for related departments, and there are implementataion records. Nonconformance: There are no above management standards, etc., and even if there are management standards, etc., it can not be operated.			Regulation name that defines the operational rulis for education and training Main education and training contents and recording methods		

Action item	No	question	Self-audit results	DZ audit	Description (Evidence name, document name, etc.)	Evidence and confirmation notes	Diamond Electric Holdings (DEHD) audit results (remarks)
Documented information	10	(1)Do you manage the documents related to CiP management (the documents verified in this check sheet)? [Judgement standard] Conformance: There is information that can be systematically confirmed (for example, by content and purpose) for all documents such as standards / regulations. Nonconformance: There can not manage it at all.	results	results	◆Documents that systematically understand standards, etc. / regulations, etc. ※ For example, "○○ integrated regulations" and "○○ integrated regulations table of contents", etc.	The organization shall maintain or retain the documented information recommended by this guideline and the documented information it deems necessary for the effectiveness of CiP management.	audic results (refildrs)
	11	(2)Do you have a document operation record? [Judgement standard] Conformance: There is a record for management items. Nonconformance: There is no record or some defects.			Name of stored record and its storage period If you can not fill in the answer column, some examples of existing records		
Communication with customers and suppliers	12	Do you have and also implement effective methods for communicationg information to customers and suppliers and for information exchange? [Judgement standard] [Judgement standard] Conformance: The standards that customers need to comply with (customer's green procurement standards, etc.) can be obtained, and the standards that suppliers neet to comply with (company's green procurement standards, etc.) can be provided without any problems. Nonconformance: There is no regulation for communication with customers and suppliers, and it is not implemented.			How to obtain and operate the standards that customers need to comply with How to provide and operate the standards that supppliers need to comply with	documented information on effective way to communicate with their customers. Confirmation point of view	
Clarification of CiP management standards	13	(1)Are the chemical substances subject to management listed? [Judgement standard] Conformance : There is a clear list of target chemical substances. Nonconformance : There is no above list.			◆Document name that clarifies the target chemical substances	The organization shall establish CiP management standards for the product and shall maintain it as documented information.	
		(2)Does the chemical substances subject to management clarify "prohibition of use", "prohibition of manufacturing process", etc., and also "target site" and "threshold value"? (Clarification of management level) [Judgement standard] Conformance: There is a regulation that clarifies the management level. Nonconformance: There is no above regulation.			◆ Regulation name that clarifies the management level		
	(3)Are the applicable laws and regulations clarified? [Dudgement standard] 15 Conformance : There is no above list etc.						
		(4)Are there any provisions fo reviewing CIP management standards as necessary or periodically? [Judgement standard] Conformance: There are regulation for review. Nonconformance: There is no regulation.			◆ Regulation name for review		
		(5)Do you make the management standards known to the relevant departments? [Judgement standard] Conformance: There are regulations regarding internal dissemination, and internal dissemination (including the web). Nonconformance: There is no regulation regarding internal dissemination, and internal dissemination (including the web) is not done.			◆Regulation name to make known ◆dissemination method		
CiP management in design and development	18	(1)When purchasing new parts, are there any CiP management regulations required of the supplier? [Judgement standard] Conformance: There is a regulation that clarifies the department to obtain CiP information of new parts and the method of confirmation. Nonconformance: There is no above regulation.				There is a record that can confirm the survey target and the result. (List of survey results) © Confirmation perspective ① Are you investigating information on the chemical substances contained in the parts and materials you purchase? ※ Confirm how to deal with parts and materials that have not been investigated.	
		(2)If there is a conversion process / parallel production / use of recycled materials at the manufacturing stage, is there a regulation to control this? [Judgement standard] Conformance: At the manufacturing stage, there is a regulation to recognize that there is a possibility of exceeding the CIP control standard and control it. Nonconformance: There is no above regulation.			◆ Regulation name at the manufacturing stage	②Are you investigating wiltout omission the scope of control of chemical substances contained in products? ※ If there is something that is not covered by the survey, check the reason. ※ Also investigating secondary materials and auxiliary materials.	
		Conversion process: Processes that cause changes in the composition and concentration of chemical substances (Example: Solder tank) (3)Do you clarify the CiP information of the product at the delivery stage of the product? [Judgement standard] Conformance: The CiP management assurance level is specified in the product delivery specifications:			◆How to clarify the CiP information of the product		
	20	Alternatively, environmental materials, etc. are created / submitted according to customer requests. Nonconformance: There is not clarified.					

Action item	No	question	Self-audit results	DZ audit results	Description (Evidence name, document name, etc.)	Evidence and confirmation notes	Diamond Electric Holdings (DEHD) audit results (remarks)
Obtaining and confirming CiP information	21	(1)Do you have CIP management standards for your suppliers? [Judgement standard] Conformance: There are standards (green procurement standards, etc.) that set CIP management standards for suppliers. Nonconformance: There are no standards (green procurement standards, etc.). ** Even if there is a standard, the content is insufficient. ("Prohibition of use", "Prohibition of manufacturing process", etc. of the target chemical substance are unclear, and "Target site" and "Threshold" are also unclear.)			for suppliers	After first defining the action to be taken for the acquisition of CIP information and the results of verification, the organization shall then present the management criteria related to CIP in purchasing to the supplier and obtain the CIP information. The organization shall verify if the CIP information obtained satisfies the management criteria related to CIP in purchasing and shall retain the result as documented information.	
	(2)How do you make the "Purchasing Management Standards" known to your suppliers? [Judgement standard] 22 Conformance : It is informed to the supplier in writing through the Green Procurement Standards. Nonconformance : Not well known.				◆Document name that is well known to the purchaser	The acquisition and verification of CIP information in accordance with the management criteria related to CIP in purchasing should be completed before the manufacturing is started.	
	23	(3)Is the following clear to the supplier for all the components that make up the product? (a)It clarifies when to obtain CIP information. (b)Means of obtaining CIP information (Certificate of Non-use, etc.) (c)The department in charge of obtaining CIP information is clarified. (d)There have confirmed that the CIP information is being investigated for the BOM of the product. [Judgement standard] Conformance : (a)-(d) are clarified. Nonconformance : Even one of (a) to (d) is unclear.			◆Regulation names and management means that clrify (a) to (d) ◆ (a) ~ (d) を明確にした規定名や管理手段 (a) (b) (c) (d)		
	24	Nonconformance: Even one of (a) to (d) is unclear. (4) Is there a form to obtain the report content (contained or not / contained amount / concentration / use applications, etc.) of CiP information in (3) above? [24] [Judgement standard] Conformance: Not clear. (5) Are the following points clarified when pass / fail judgment of the CiP information content obtained in (3) above? **Spints to clarify ** @When **@Method **@Judgment department **@Record the judgment details Judgement standard Conformance: There are regulations that clarifies **@ to **@ above, and the judgment is made before the production of the product. Nonconformance: There are no above regulations and no judgment has been made. (6)Can you determine if your product conform CiP management standards? (a)CiP management is performed and judgment is made for the element that make up the product. (There is a record) (b)There are regulations regarding regular ingredient management prevention of contamination / identification control / contamination / ontentination control / conversion process in the process. (There is a record) (c) There are regulations regarding 4M changes at the purchase and 4M changes at the company (there is a record). [Judgement standard] Conformance: There are regulations and records regarding (a) to (c). Nonconformance: The above regulations and records are not part of it.			◆Survey format name		
	25				◆Regulation name and record name that clarified ① to ③ ① ② ③ ④		
	26				◆Regulation name and record name in (a) to (c) (a) (b) (c)		

	T., 1		Self-audit	DZ audit			Diamond Electric Holdings (DEHD)
Action item	No	question	results	results	Description (Evidence name, document name, etc.)	Evidence and confirmation notes	audit results (remarks)
Confirmation of the CiP management status at suppliers	27	(1)Do you require suppliers to build and operate a CIP management system to conform CIP management standards? [Ludgement standard] Conformance: The Green Procurement Standards, etc. require suppliers to establish a system and operation that conform the CIP management standards, and an environmentally hazardous substance management system. Nonconformance: There is no document to request.			◆ Document name that requested the supplier to build and operate a CiP management system	Record of requests to suppliers (Example : Distribution record of Gree Procurement Standards and Customer Evalution Sheet) Confirmation point of view Do you require suppliers to "control of chemichal substances contained in products"? *"Control of chemichal substances contained in products"	
	28	(2)When selecting a new supplier, do you check the status of CiP management with the supplier? [Judgement standard] Conformance: When selecting a supplier, the system and contents / methods for checking the status of CiP management are regulations. Nonconformance: There are no regulations for the system and contents / methods for checking the status of CiP management, and there have not been confirmed.			◆Regulation name for checking the status fo CIP management when selecting a new supplier	refers to a mechanism for appropriately managing the chemical substances contained in products at each stage of purchase, manufacturing, and sales. A record of evaluating a supplier (Evaluating result list, individual evaluation record) Confirmation point of view	
	29	(3)If you want to continue the transaction, do you regularly reconfirm the status of CIP management as needed? [Judgement standard] Conformance : There is a regulation to check the status of CIP management in continuous transaction. Nonconformance : There is no above regulation.			Regulation name for checking the status of CIP management in continuous transactions	②Are you evaluating new suppliers? ③If the transaction continues, do you update the evaluation reqularly? ④Do you carry out evaluation according to the contents of ① above? ⑤If the evaluation is not completed, or if there is a supplier who has a problem with the evaluation content or evaluation result,	
	30	(4)For (2) and (3) above, do you record the confirmation result of the status of CiP management for the supplier? [Independent standard] Conformance: The records of (2) and (3) above are managed. Nonconformance: There is no record.			◆Record name	do you support it? **You are responding to suppliers who need improvement, such as improvement guidance. **Do you confirm that the supplier (primary supplier) evaluates the supplier (secondary supplier) who purchases the prats material?	
	31	(5)Regarding (2) and (3) above, do you define the action content when the status confirmation of CIP management is not completed, or there is a problem with the confirmed contents and results? [Judgement standard] Conformance: There is a regulation that defines the action content for the target event. Nonconformance: There is not defined the action content.			◆Regulation name that defines the action content for the target event	material:	
	32	(6)Does your company require and confirm CiP management from the secondary supplier through the primary supplier? **Flow of product / parts procurement Your company ← Primary supplier ← Secondary supplier **Flow of CiP management request Your company → Primary supplier → Secondary supplier [Judgement standard] Conformance : There are standards, etc. that request CiP management to the secondary supplier, and the operational status of the secondary supplier is confirmed. Nonconformance : There is no above standard.			◆ Document name that requested CiP management from the secondary supplier through the primary supplier		
CIP management at the time of acceptance	33	(1)Do you confirm that the purchased product satisfy the purchasing control standard at the time of acceptance? [Judgement standard] Conformance: There are regulations and confirmations for confirming that all purchased products satisfy the standards. Nonconformance: There is no regulation. Or even if there is a regulation, it is not confirmed.			◆ Regulation name to confirm that the standard is satisfy	The organization prescribes actions for the confirmation result of the purchased product at the time of acceptance, make sure that the purchased product satisfy the management standard related to CiP in the organizatiion's purchasing at the time of acceptance, and keep the results as documented information.	
	34	(2)Do you record the result of (1) above? [Judgement standard] Conformance : There is a record of acceptance inspection results. Nonconformance : There is no record.			◆ Record name		
Management in the manufacturing process (Management of Conversion Process) The conversion		(1)Is there a conversion process? [Questions not subject to evaluation] [Judgement standard] Conformance: There is a conversion process. Nonconformance: There is no conversion process. XIf the answer is "Not applicable", please describe (2) to (4) as "Not applicable".			◆Applicable process name and target substance name	The organization shall manage the manufacturing process based on the control standards related to CiP in the manufacturing process, and retain the results as documented information.	
process is a process in which a composition change or a concentration	36	(2)Have you established control standards related to CiP in the manufacturing process for the process corresponding to (1) above? [Judgement standard] Conformance: There are control standards for the conversion process. Nonconformance: There is no management standard.			◆ Management standard name		
change occurs in a process of manufacturing using a chemical substance /		(3)Do you record the result of the management of (2) above? [Judgement standard] Conformance: There is managed the record that was judged as the management standard in the conversion process. Nonconformance: There is not managed the judgment record.			◆Record name		
mixture. Example) Solder tank, plating tank,		(4)Is the procedure for implementing the management of (2) to (3) above documented? [Judgement standard] Conformance : There are regulations. Nonconformance : There is no regulation.			◆Regulation name that defines the procedure		

Action item	No question	Self-audit results	DZ audit results	Description (Evidence name, document name, etc.)	Evidence and confirmation notes	Diamond Electric Holdings (DEHD) audit results (remarks)
Prevention of misuse and contamination (Management of parallel production and misuse / contamination of prohibited substances	(1)Are you able to properly manage the prevention of misuse and contamination in the receiving and storage of parts and materials (including auxiliary materials and packaging materials)? Also, are the procedures for implementing proper management documented? Uudgement standard] Conformance: The procedure is documented and properly managed. Nonconformance: Not documented.			◆Document name that defines the procedure	The organization shall implement measures to prevent misuse and contamination of chemical substances coverd by the CiP management standards. 組織は、CiP管理基準で対象とした化学物質の誤使用及び汚染の防止策を実施すること。	
	(2)Are you able to properly manage the prevention of misuse and contamination in all of the following related manufacturing processes? Also, are the procedures for implementing proper management documented? (a)Line process (b)Work in process storage (c)Rework process (d)Production equipment and jigs [Judgement standard] Conformance : All procedures (a) to (d) are documented and properly managed. Nonconformance : The procedure is not documented. ** If any one of (a) to (d) is insufficient, it is not suitable.			◆Document name that defines the procedure		
	(3)Are you able to properly manage the prevention of misuse and contamination in the product storage area in the shipping warehouse. Also, are the procedures for implementing proper management documented? [Judgement standard] Conformance: The procedure is documented and properly managed. Nonconformance: Not documented.			◆ Document name that defines the procedure		
Identification and traceability	Do you document the methods for managing identification and traceability for the following control items of the product? Also, do you make a record? ((Management items) -Components 42 - Accepting lot of raw materials -Manufacturing time -Manufacturing process -(If applicable) Traceability for outsourcers [Judgement standard] Conformance : The method is documented and you are making records. Nonconformance : Not documented.			◆ Document name that defines the method • record name	The organization keeps track of CiP information, and ensure the traceability of CiP information by appropriate means so that information can be used, disclose and communicated promptly. Define, store, and implement how to manage CiP information about your organization's products.	
Manage changes	(1)When a change management target occurs, confirm the necessity before making a change and obtain the necessary CiP information. Do you have a document that clarifies the department (person), time, and means? IJudgement standard) Conformance: There is a document. Nonconformance: There is not document.			◆ Document name	The organization should extract the elements of change that may affect the chemicals targeted by the CiP control standards. The organization should properly identify changes in CiP for changes and review them according to CiP management standards before implementing the changes.	
	(2)If the change management target of (1) above affects the customer or the product shipped to the customer, is there a document that clarifies the department (person), timing ,and means to report to the customer before the change? [Judgement standard] Conformance: There is a document that clarifies the department (person), timing, and means to report to the customer before the change. Nonconformance: There is not document.			◆ Document name	The organization shall retain documented information describing the persons (or people) woh formally authorized the change as a result of the review of the change and the necessary actions resulting from the review.	
	(3)For the obtained CiP information, do you judge the conformity status and record the result? [Udgement standard] 45 Conformance : There is a record. Nonconformance : There is no record.			◆ Record name		
Product CiP Warranty	When a customer asks for CiP information for a product,can you create / provide the required materials? [Judgement standard] [Conformance : You can. Nonconformance : You can not.			◆Number of personnel that can be created / provided	The organization implements CIP management that enables the creation of typical materials such as "Certificate of non-use", "Inclusion confirmation form", "High precision analysis data list", and "chemSHERPA", and it is necessary to acquire the knowledge necessary for creation and secure personnel.	

Action item	No	question	Self-audit results	DZ audit results	Description (Evidence name, document name, etc.)	Evidence and confirmation notes	Diamond Electric Holdings (DEHD) audit results (remarks)
Response when non- conforming products occur		(1)Do you establish and implement procedures for contacting the inside of the organization, suppliers or outsourcers, and customers when non-conforming products of CIP (hereinafter referred to as non-conforming products) occur? [Judgement standard] Conformance: There is a document that defines the procedure and it is implemented. Nonconformance: There is no document.			◆Document name	The organization shall establish and document the method of prompt contact with the inside of the organization, suppliers, outsourcers and customers in the event of non-conforming products related to CiP, and emergency measures. After emergency measures, identify the cause, determine what	
	48	(2)Do you establish and implement procedures for identifying the spread range and identifying and managing non-conforming products as an emergency measure? [Judgement standard] Conformance: There is a document that defines the procedure and it is implemented. Nonconformance: There is no document.			◆ Document name	is needed, and implement it to prevent recurrence. The organization should take preventive measures to prevent the outbreak. The organization should retain documented information on what to do when a non-conforming product occurs.	
		(3)Do you establish and implement procedures for investigating the cause, taking permanent measures against it, and taking preventive measures? [Judgement standard] Conformance: There is a document that defines the procedure and it is implemented. Nonconformance: There is no document.			◆Document name		
		(4)Do you establish and implement procedures for horizontal deployment of recurrence prevention measures? [Judgement standard] Conformance: There is a document that defines the procedure and it is implemented. Nonconformance: There is no document.			◆Document name		

How to Fill Out and Submit Documents

Please fill in columns related to the following items.

Be careful when you prepare a document. If there is an incomplete form/mistake in the content, it is necessary to resubmit a document.

Inclusion Confirmation Form Please use Attachment 7 "Inclusion Confirmation Form".

《Basic information》

Preparation date, supplier's name, manufacturer's name, department name, name of person in charge, stamp by a responsible person, preparer and contact information

* For overseas business partners, signature by a responsible person is acceptable instead of stamp.

《Investigation of Contained Chemical Substances》

- ① Part name: Part name and your formal Part number
 - * When documents can be combined for certain series, etc., prepare one document with name of the series and attach a list of Part numbers.
- ② Column of Weight of Parts / Unit: Select one and write a check in □
 Weight per parts (Unit: g, kg) / In the case of delivery in units of m² the weight per 1 m²(g/m²)

 In the case of delivery in units of m² the weight per 1 m²(g/m²)
- "Not contained" \rightarrow Fill in the column with an X mark.
- ⑤Contained amount and content rate: Contained amount (unit: g) and content rate of chemical substances contained in homogeneous materials
 - *Content rate of portion (in homogeneous materials). Content rate (ppm) = (Contained amount/Weight of portion) X106
 - * Fill in the columns with easily understandable numbers. (Ex.) 0.00000003 = 3E-08
- ⑥In which portion and for what purpose: portion in which each homogeneous material is contained and for what purposes each contained substance is used
- ⑥Content site, application : Site of homogeneous material unit and purpose of use of content
 ⑦Remarks: Regarding response to RoHS
 - * For purposes of RoHS exempted, clearly write "RoHS exempted" and exempted Item number.
 - * For impurities, clearly write "below the threshold level".
 - * Please refer to Attachment 1 "Prohibited Substances" for the threshold levels.

[How to Submit A Document]

Send an original document or copy to a person who requests the form or attach electronic data by e-mail.

Certificate of Non-use Please use Attachment 8 "Certificate of Non-use"

When you modify the content, don't use any correction fluid. Cross out a mistake with a double line and set your seal on it.

《Basic Information》

Preparation date, company name, company seal or stamp by a responsible person, job title/responsible person's name. contact person's name and telephone number

* For overseas business partners, signature by a responsible person is acceptable instead of stamp.

《Target part》

part name and our registered part number (or series name)

- * Fill in the columns with a part name and part number registered by Diamond Electric Holdings Co..Ltd.
- * When parts have not been registered yet, fill in the columns with your part name and part number of the supplier.
- * When documents can be combined for certain series, etc., prepare one document with name of the series and attach a list of part numbers.
- * It is not necessary to write any part codes.

《Impurities, Inclusion of RoHS exempted, etc.》

If banned substance are contained, they must be clearly written.

Banned substance, content rate, portion/purpose and comment

- * Regardless of threshold levels, fill in the columns for each homogeneous material.
- * In the column of comment, clearly write that your products are applicable with RoHS, such as "items of RoHS exempted" and "impurities".

[How to Submit A Document]

Submit an original document with company seal or stamp by a responsible person.

When electronic data are submitted, send an original document to a person who requests the form.

High-Precision Analysis Data List

Please use Attachment 9 "High-Precision Analysis Data List".

《Basic Information》

Preparation date, company name, company seal or stamp by a responsible person, job title/responsible person's name

* For overseas business partners, signature by a responsible person is acceptable instead of stamp.

《Target part》

part name and our registered part number (or series name)

- * Fill in the columns with a part name and part number registered by Diamond Electric Holdings Co., Ltd.
- * When parts have not been registered yet, fill in the columns with your part name and part number of the supplier.
- * When documents can be combined for certain series, etc., prepare one document with name of the series and attach a list of part numbers.

* It is not necessary to write any part codes.

《Analytical data》

Please fill in "homogeneous material" for the analysis portion. (Example of homogeneous material : lead wire \Rightarrow copper wire, coating, plating, etc.)

If you have applied "Exempted Uses", please fill in the RoHS exemption number.

[How to Submit A Document]

Send an original document or copy to a person who requests the form or attach electronic data by e-mail.

* Please also send the analysis data of the analysis institution.

chemSHERPA

The chemSHERPA tools and related documents can be

downloaded from the following URL.

URL : https://chemsherpa.net/

《Basic Information》

For details on how to create chemSHERPA, download various manuals from the above URL and refer to them.

Please use the latest chemSHERPA Ver. When creating.

《chemSHERPA-AI》

The target products of chemSHERPA-AI are molded products.

Please fill in "Basic information", "Ingredient information", "Regulation information", and "SCIP information".

《chemSHERPA-CI》

The target products of chemSHERPA-CI are chemical products.

Please fill in "Basic information" and "Ingredient information".

《Notes》

Please disclose 90% or more of the ingredient information as much as possible.

[Submission method]

Please email the file (\sim .shai) to our requester.

IMDS Data and JAPIA Unified Data Sheet

The IMDS system and JAPIA related documents can be downloaded from the following URL.

IMDS system

URL: https://www.mdsystem.com/imdsnt/faces/login

JAPIA Japan Auto Parts Industries Assocaiation

URL: https://www.japia.or.jp

《Basic Information》

For details on how to create IMDS system and JAPIA standard sheet, download various manuals from the above URL and refer to them.

Please use the latest IMDS system Ver. When creating.

《IMDS data》

Structures, materials, auxiliary materials and contained substances of in-vehicle products are subject to investigation.

Please fill in the material composition, substance name and content.

The format is IMDS data.

《JAPIA unified data sheet》

Structures, materials, auxiliary materials and contained substances of in-vehicle products are subject to investigation.

Please fill in the material composition, substance name and content.

The format is JAPIA/JAPIA unified data sheet (CSV file format).

(Notes (common to IMDS data and JAPIA unified data sheet))

*In principle, "other / non-disclosure" shall be less than 10%

*If there is intentional inclusion of environment-related substances and content as impurities that exceeds the limit value, this should not be included in "other / non-disclosure".

*Even when it is not applicable depending on the case, it is necessary to register ingredient data for environment-related substances when there is intentional inclusion in environment-related substances or when it is recognized that it is contained as an impurity that exceeds the limit value.

[Submission method]

Please send the IMDS data to the following company ID.

Company name: Diamond-ZEBRA Electric Mfg. Co., Ltd.

Company ID: 18340

Please email the JAPIA sheet (\sim .csv) to our requester.

Inclusion Confirmation Form

Preparation Date		Part Name	
Supplier's Name		Part Number	
Manufacturer's Name		Part Code	
Department Name		TEL	
Responsible person	or	FAX	
Preparer	Signature	E-mail	

Weight of Part	□g □kg □g/m □g/m³

				it con	tain?	Walaht				
No.	Substance group	Portion/ Material	Impurities	Intentional	No	Weight of portion [g]	Contained amount [g]	Content rate [ppm]	Containing portion/ Purpose of use	Remarks (RoHS Exemption etc.)
	ned Substances Cadmium/Cadmium compounds	All								
2	Hexavalent chromium compounds	All								
	Lead/Lead conpounds Marcury/Marcury compouds	All								
5	Tributyl tin oxide (TBTO) CAS No.56-35-9	All								
	Tri-substituted organostannic compounds Dibutyltin compounds (DBT)	All								
8	Dioctyltin compounds (DOT) *1	*1								
	Polychlominated diphenyls (PCBs) and specific substitutes	All								
	Polybrominated diphenil ethers (PBDEs)	All								
11	Polychlominated diphenyls (PCBs) and specific substitutes *Refer to Appendix 1 table	All								
	Polychlorinated terphenyls (PCTs)	All								
	Plychlorinated naphthalenes	All								
		All All								
16	Selected Fluorinated green house gases	All								
	(PFC,SF6,HFC) *Refer to Appendix 1 table Asbestos	All								
10	Azocolourants and azodyes which from certain	Fibers and Leathers								
-10	aromatic amines *Refer to Appendix 1 table Ozone deplating substances *2	Tibers and Ecatilers								
19	*Refer to Appendix 1 table	All								
20	Radioactive substances	All								
21	2-benzotriazol-2-yl-4, 6-di-tert-butylphenol CAS No.3846-71-7	All								
	Specific phthalates	The accessible parts								
22	(BBP,DBP,DEHP,DIDP,DINP,DNOP) *3 *Refer to Appendix 1	of the toy applications								
-	Bis (2-ethylhexyl) phthalate (DEHP) *4									
23	CAS No.117-81-7	All								
24	Dibutyl phthalate (DBP) *4 CAS No.84-74-2	All								
25	Butyl Benzyl phthalate (BBP) *4	All								
	CAS No.85-68-7 Diisobutyl phthalate (DIBP) *4	All								
	CAS No.84-69-5	All								
	Dimethyl fumarate CAS No.624-49-7	All								
	4 heavy metals (Cd,Pb,Cr6+,Hg) Shortchaine chlorinated paraffins (C10-C13)	Packing matrials All								
125		Direct contact with								
30	Polycyclic aromatic hydrocarbons (PAHs) *Refer to Appendix 1 table	human skin or oral cavity for long period								
		of time or repeatedly								
31	Hexabromocycloddecane (HBCDD) and all major diastereoisomers *Refer to Appendix 1 table	All								
	Perfluorooctanic acid (PFOA) and indivisual salts and	All								
	esters of PFOA *Refer to Appendix 1 table Aersenic compounds *5	wood preservative								
	Cobalt dichloride	Drier								
		Parts that consumers								
35	Natural rubber *6	directly touch the skin for toy applications								
\vdash	Red phosphorus *7	Parts requiring								
	CAS No.7723-14-0	insulation, Parts requiring strength								
	2-(2H-benzotriazol-2-yl)-4,6 ditertpentylphenol (UV-	All								
-	328) CAS No.25973-55-1 Phenol, isopropylated phosphate (PIP(3:1)) (Tris	A.I.								
38	phosphate) CAS No.68937-41-7	All								
39	Decabromodiphenyl ether (decaBDE)	All								
	CAS No.1163-19-5 Hexachlorobutadiene (HCBD) CAS No.87-68-3	All		\vdash						
	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)	All								
\vdash	CAS No.732-26-3 Pentachlorothiophenol (PCTP)									
42	CAS No.133-49-3	All								
43	Perfluoroalkyl sulfone compounds (PFAS)	Coating material								
	Perfluorohexane sulfonic acid (PFHxS) CAS No.355-46-4 etc.	All								
	Perfluorocarboxylic acid (C9-C21 PFCA) CAS No.375-95-1 etc. *Refer to Appendix 1 table	All								
	Dochlorano Blus									
46	CAS No.13560-89-9, 135821-74-8, 135821-03-3	All								
	Medium-chain chlorinated paraffin (C14-C17 MCCP) CAS No.85535-85-9	All								
Sub	stances that control the content									
-	Beryllium oxide	All Plastic materials.								
49	Brominated flame retardant (Other than PBB and PBDE or HBCDD)	Multilayer printed								
\vdash	(Care dian rob and robe of fiberby)	circuit boards Plastic materials.								
50	Chlorine-based flame retardant	Multilayer printed								
51	Polyvinyl chloride (PVC) and PVC copolymer	circuit boards Plastic materials								
		Textiles.								
52	Formaldehyde	Composite wood products or								
53	SVHC (REACH)	components Target substance								
		In case of								
54	Nickel *8	components in contact with skin for								
-	China VOC regulated authorized **	prolona periods								
	China VOC regulated substances *9 extile articles and leather products intended to come into o	*9								

Inclusion Confirmation Form No. Preparation Date YYYY/MM/DD Name

Seal or signature of the responsible person C XYZ-0123 123456 123-456-789 If it can be applied in common Number Code Supplier's Name Manufacturer's Name Department Name for series, etc., create it collectively with the series name and attach the target B department

	epartment Name B department		Stamp		TEL		123-456-789		name and attach the target				
Re	sponsible person Preparer	Taro Denki Hanako Midori		S	or iignatui	re		FAX -mail		t.tabuci	ni@~	part nun	nber list.
											II @ · ·		
	Weight of Part	1.00 □g □kg □g/n	n □g/m [†] —				Please	set the appli	cable unit	to ■			
					it cor	ntain?							
			Portion/		es		Weight of	Contained	Content	Conta	ining portio	n/	Remarks
No.	S	ubstance group	Material	Impurities	Intentiona	No	portion	amount [g]	rate [ppm]		pose of use	.,	(RoHS Exemption etc.)
				Impi	Inten		[g]	191	LPP				
	ned Substances							For "impuritio	c" and "in	tentional", fill	in the right	t column	
	Cadmium/Cadmium Hexavalent chromiu		All			v_		от пприние	s and ii	Terruoriai , iiii	iii tile rigili	column.	
3	Lead/Lead conpoun	ds	All		V		3.4	3.0		Lead-containing	solder, electi	rical bondin	7(a)
	Marcury/Marcury co	mpouds BTO) CAS No.56-35-9	All	~			5.0	0.00005	10	Lamp	(
		nostannic compounds	All				_			\vdash	Please ent	er the exen	nption item number.
	Dibutyltin compound Dioctyltin compound		All *1				Expo	nential notat	ion is also le : 5E-5	possible.			
	Polychlominated dip							Examp	ie . 5E-5				
9	and specific substitu		All										
		nenil ethers (PBDEs) henyls (PCBs) and specific	All										
11	substitutes *Refer	to Appendix 1 table	All										
12	Polychlorinated terp Plychlorinated naph	henyls (PCTs) thalenes	All										
14	Perchlorates		All										
15	Perfluorooctane sulf	onate (PFOS) I green house gases	All										
16		fer to Appendix 1 table	All										
17	Asbestos		All										
18		zodyes which from certain Refer to Appendix 1 table	Fibers and Leathers										
19	Ozone deplating sul	ostances *2	All										
20	*Refer to Appendix Radioactive substan		All							-			
21	2-benzotriazol-2-yl-	4, 6-di-tert-butylphenol	All										
21	CAS No.3846-71-7												
22	Specific phthalates (BBP,DBP,DEHP,DIDI		The accessible parts										
	*Refer to Appendix	1	of the toy applications										
23	Bis (2-ethylhexyl) p CAS No.117-81-7	hthalate (DEHP) *4	All										
24	Dibutyl phthalate (D	BP) *4	All										
24	CAS No.84-74-2	(DDD) #4	All										
25	Butyl Benzyl phthali CAS No.85-68-7	ate (BBP) *4	All										
26	Diisobutyl phthalate	(DIBP) *4	All										
27	CAS No.84-69-5 Dimethyl fumarate	CAS No.624-49-7	All										
28	4 heavy metals (Cd		Packing matrials										
29	Shortchaine chlorina	ated paraffins (C10-C13)	All Direct contact with										
30		hydrocarbons (PAHs)	human skin or oral										
30	*Refer to Appendix	1 table	cavity for long period of time or repeatedly										
31		cane (HBCDD) and all major	All										
-		Refer to Appendix 1 table d (PFOA) and indivisual salts and											
32	esters of PFOA *Re	fer to Appendix 1 table	All										
33	Aersenic compound Cobalt dichloride	s *5	wood preservative Drier										
34	copare dicinoriae		Parts that consumers										
35	Natural rubber *6		directly touch the skin										
			for toy applications Parts requiring										
36	Red phosphorus *7 CAS No.7723-14-0		insulation, Parts										
\vdash		2-yl)-4,6 ditertpentylphenol	requiring strength										
37	(UV-328) CAS No.2	5973-55-1	All										
38	Phenol, isopropylate phosphate) CAS No	ed phosphate (PIP(3:1)) (Tris 0.68937-41-7	All										
	Decabromodiphenyl		l										
39	CAS No.1163-19-5		All										
		e (HCBD) CAS No.87-68-3)phenol (2,4,6-TTBP)	All		-								
41	CAS No.732-26-3		All										
42	Pentachlorothiopher CAS No.133-49-3	nol (PCTP)	All										
		e compounds (PFAS)	Coating material										
44	Perfluorohexane sul	fonic acid (PFHxS)	All										
	CAS No.355-46-4 e	acid (C9-C21 PFCA)								-			
45	CAS No.375-95-1 e	c. *Refer to Appendix 1 table	All										
46	Dechlorane Plus CAS No.13560-89-9.	135821-74-8, 135821-03-3	All										
-		inated paraffin (C14-C17	AU.										
47	MCCP) CAS No.855	35-85-9	All						L				
	stances that contro Beryllium oxide	i the content	All										
	Brominated flame n		Plastic materials.										
49	(Other than PBB an		Multilayer printed circuit boards	L	L	L							
50	Chlorine-based flam	e retardant	Plastic materials. Multilayer printed										
			circuit boards Plastic materials								Entor the	cubetar	on name and CAS
51	ruiyviiiyi chioride (F	VC) and PVC copolymer	Plastic materials Textiles.		-					<u> </u>	-		e name and CAS ubstance in REACH
52	Formaldehyde		Composite wood								regulation		
			products or components										
53	SVHC (REACH)		Target substance				2.27	0.18	79.295	Resist ink			Name of substance: ***
L	,							3.10	,				CAS No.***
EA	Nickel *8		In case of components in										
)4			contact with skin for										
55	China VOC regulate	d substances *9	prolona periods *9										

srolona periods

*I Textile articles and leather products intended to come into contact with the skin ,Childcare articles,Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)

*I Textile articles and leather products intended to come into contact with the skin ,Childcare articles,Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)

*I Textile articles and leather products intended to come into contact with the skin ,Childcare articles,Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)

*I Textile articles and leather products intended to come into contact with the skin ,Childcare articles,Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)

*I Textile articles and leather products intended to component room temperature vulcanisation moulding kits (RTV-2 moulding kits)

*S When used in the form on commonent received by applications

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)

*Parts requiring insulation, Parts requir

To DIAMOND ELECTRIC HOLDINGS CO.,LTD. Group

Certificate of Non-use

Company name :		Company seal
Job title : . Responsible person : .		or Singnature of responsible
Contact person:	<u> </u>	person
TEL:		

We guarantee that prohibited substances listed below are not intentionally used to the parts (including accessories and packaging materials that come into direct contact with the parts) delivered to the all Diamond Electric Holdings Co.,Ltd. Group, exclude for exception use, and that those are not used in manufacturing processes.

Impurities, inclusion of RoHS exception use, etc. are guaranteed to be as described.

記

《Part》

Management No.					
Part nam	ne	F	Part number	Part Code	

《Banned Substance》

No	Substances group	No	物質群
-	Cadmium/Cadmium compounds		Butyl Benzyl phthalate (BBP) ※4
	Hexavalent chromium compounds		Diisobutyl phthalate (DIBP) ※4
3	Lead/Lead conpounds		Dimethyl fumarate
4	Marcury/Marcury compouds	28	4 heavy metals (Cd,Pb,Cr6+,Hg)
5	Tributyl tin oxide (TBTO)	29	Shortchaine chlorinated paraffins (C10-13)
	Tri-substituted organostannic compounds	30	Polycyclic aromatic hydrocarbons (PAHs)
7	Dibutyltin compounds (DBT)	31	Hexabromocycloddecane (HBCDD) and all major
8	Dioctyltin compounds (DOT) ※2		diastereoisomers
9	Polybrominated biphenyls (PBBs)	32	Perfluorooctanic acid (PFOA) and indivisual salts and
10	Polybrominated diphenil ethers (PBDEs)		esters of PFOA
11	Polychlominated diphenyls(PCBs)and specific	33	Aersenic compounds %5
	substitutes	34	Cobalt dichloride
12	Polychlorinated terphenyls (PCTs)	35	Natural rubber %6
13	Plychlorinated naphthalenes	36	Red phosphorus %7
14	Perchlorates	37	2-(2H-benzotriazol-2-yl)-4,6 ditertpentylphenol (UV-
15	Perfluorooctane sulfonate (PFOS)		328)
16	Selected Fluorinated green house gases	38	Phenol, isopropylated phosphate (PIP(3:1)) (Tris
	(PFC,SF6,HFC)		phosphate)
17	Asbestos	39	Decabromodiphenyl ether (decaBDE)
18	Azocolourants and azodyes which from certain	40	Hexachlorobutadiene (HCBD)
	aromatic amines	41	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)
19	Ozone deplating substances **1	42	Pentachlorothiophenol (PCTP)
20	Radioactive substances	43	Perfluoroalkyl sulfone compounds (PFAS) *8
21	2-benzotriazol-2-yl-4,6-di-tert-butylphenol	44	Perfluorohexane sulfonic acid (PFHxS)
22	Specific phthalates	45	Perfluorocarboxylic acid (C9-C21 PFCA)
L	(BBP,DBP,DEHP,DIDP,DINP,DNOP)	46	Dechlorane Plus
	Bis (2-ethylhexyl) phthalate (DEHP) ¾4	47	Medium-chain chlorinated paraffin (C14-C17 MCCP)
24	Dibutyl phthalate (DBP) ※4		<u> </u>

- ※1 Substances defined in Montreal Protocol.
- **2 Textile articles and leather products intended to come into contact with the skin ,Childcare articles,Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)
- *3 The accessible parts of the toy applications
- %4 ALL (Not the accessible parts of the toy applications)
- %5 When used in timber as antiseptic agent
- %6 Parts that consumers directly touch the skin for toy applications
- **7 Parts requiring insulation, Parts requiring strength (Exclude phosphorus added in the metal)
- %8 When used as a coating agent

《Impurities, Inclusion of RoHS exempted, etc.》

Banned Substance	Content Rate (ppm)	Portion/Purpose	Comment

Appendix 8

To DIAMOND ELECTRIC HOLDINGS CO.,LTD. Group

Certificate of Non-use

Company name : Company A

Job title : <u>Department B manager</u>

Responsible person: Taro Denki

Contact person : <u>Hanako Midori</u>

TEL: 123-456-789

Green Procurement Standard Ver5.0 YYYY/MM/DD

Company seal, seal of responsible person, or signature

> Company seal Singnature of responsible person

We guarantee that prohibited substances listed below are not intentionally used to the parts (including accessories and packaging materials that come into direct contact with the parts) delivered to the all Diamond Electric Holdings Co., Ltd. Group, exclude for exception use, and that those are not used in manufacturing processes.

Impurities, inclusion of RoHS exception use, etc. are guaranteed to be as described.

記

《Part》

Management 12	34-001		
Part name	F	Part number	Part Code
С		XYZ-0123	123456

《Banned Substance》

No	Substances group	No	物質群
1	Cadmium/Cadmium compounds	25	Butyl Benzyl phthalate (BBP) ※4
2	Hexavalent chromium compounds	26	Diisobutyl phthalate (DIBP) ※4
3	Lead/Lead conpounds	27	Dimethyl fumarate
4	Marcury/Marcury compouds	28	4 heavy metals (Cd,Pb,Cr6+,Hg)
5	Tributyl tin oxide (TBTO)	29	Shortchaine chlorinated paraffins (C10-13)
6	Tri-substituted organostannic compounds	30	Polycyclic aromatic hydrocarbons (PAHs)
7	Dibutyltin compounds (DBT)	31	Hexabromocycloddecane (HBCDD) and all major
8	Dioctyltin compounds (DOT) %2		diastereoisomers
9	Polybrominated biphenyls (PBBs)	32	Perfluorooctanic acid (PFOA) and indivisual salts and
10	Polybrominated diphenil ethers (PBDEs)		esters of PFOA
11	Polychlominated diphenyls(PCBs)and specific	33	Aersenic compounds %5
	substitutes	34	Cobalt dichloride
12	Polychlorinated terphenyls (PCTs)	35	Natural rubber ※6
13	Plychlorinated naphthalenes	36	Red phosphorus %7
	Perchlorates	37	2-(2H-benzotriazol-2-yl)-4,6 ditertpentylphenol (UV-
15	Perfluorooctane sulfonate (PFOS)		328)
16	Selected Fluorinated green house gases	38	Phenol, isopropylated phosphate (PIP(3:1)) (Tris
	(PFC,SF6,HFC)		phosphate)
17	Asbestos	39	Decabromodiphenyl ether (decaBDE)
18	Azocolourants and azodyes which from certain	40	Hexachlorobutadiene (HCBD)
	aromatic amines	41	2,4,6-tris(tert-butyl)phenol (2,4,6-TTBP)
19	Ozone deplating substances	42	Pentachlorothiophenol (PCTP)
20	Radioactive substances		Perfluoroalkyl sulfone compounds (PFAS) *8
	2-benzotriazol-2-yl-4,6-di-tert-butylphenol	44	Perfluorohexane sulfonic acid (PFHxS)
22	Specific phthalates		Perfluorocarboxylic acid (C9-C21 PFCA)
	(BBP,DBP,DEHP,DIDP,DINP,DNOP)	_	Dechlorane Plus
23	Bis (2-ethylhexyl) phthalate (DEHP) ※4	47	Medium-chain chlorinated paraffin (C14-C17 MCCP)
24	Dibutyl phthalate (DBP) ※4		

- ※1 Substances defined in Montreal Protocol.
- *2 Textile articles and leather products intended to come into contact with the skin ,Childcare articles,Two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)
- ※3 The accessible parts of the toy applications
- *4 ALL (Not the acc It is mandatory to fill in if there is a prohibited substance. ※5 When used in tir
- Please fill in for each homogeneous material regardless of the threshold. ※6 Parts that consul
- 87 Parts requiring in For purposes of RoHS exempted, please fill in the exempted item number.

※8 When used as a

f	Ro	Н_	

《Impurities, Inclusion of Ro	- CU.))		
Banned Substan	Content Rate (ppm)	Portion/Purpose	Comment
Lead	100	Lead solder / Electrical junction	7(a)

Appendix 9 Green Procurement Standard Ver5.0

Appendix 9 **High Precision Analysis Data List**

Campany Name	Conpany Seal
Department/	company ocal
Title Person in	OI
Person in	Signature
responsible	

Part Name	
Part Number	
Part Code	

YYY/MM/DD

Date

Analysis data for RoHS 10 substances sheet

	Analyzed Portion	Amalusia					Analysis result of 10 Substances subject to RoHS (ppm)								RoHS			
No	(analysis unit)	Analysis Organization	Analysis Method	Analysis Date	Analysis Data No	Pb	Hg	Cd	Cr6+	PBB	PBDE		Phthali			Exempt	compliant	Remark
	(dridrysis drift)	Organization				Fυ	rig	Cu	CIUT	FDD	FDDL	DEHP	DBP	BBP	DIBP		(Y/N)	
1																		
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		

Appendix 9 Green Procurement Standard Ver5.0

High Precision Analysis Data List

Campany Name	Company A	Conpany Seal
Department/ Title	Department B manager	or
Person in responsible	Taro Tabuchi	Signature

Part Name	С
Part Number	XYZ-123
Part Code	123456

Date

YYY/MM/DD

Analysis data for RoHS 10 substances sheet

	lysis data for Ro			Analysis result of 10 Substances subject to RoHS (ppm)								RoHS						
No	Analyzed Portion (analysis unit)	Analysis Organization	Analysis Method	Analysis Date	Analysis Data No	Pb	Hg	Cd	Cr6+	PBB	PBDE			ic ester		Exempt	compliant	Remark
	(analysis anic)	Organization				10	119	Cu	CIOT	100	TOOL	DEHP	DBP	BBP	DIBP		(Y/N)	
1	D	SGS	ICP-AES UV-VIS GC-MS	YYY/MM/DD	01234567A	10,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	7(s)	Y	鉛半田使用
2	E	Δ														f RoHS ex		please fill in the
3	The unit of analysis should be homogeneous material. Example: lead wire, coating, etc.				Please also	submit	the analy	/sis data.						exem	led item	number.		
4	Examp	ic . icua wiic,	loading, etc.															
5																		
6																		
7																		
8																		
9																		
10																		

If you run out, please add a field.